



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/732,854	12/11/2003	Klaus Hugi	59643.00329	9129
32294	7590	12/15/2006	EXAMINER	
SQUIRE, SANDERS & DEMPSEY L.L.P.			CHAN, RICHARD	
14TH FLOOR			ART UNIT	
8000 TOWERS CRESCENT			PAPER NUMBER	
TYSONS CORNER, VA 22182			2618	

DATE MAILED: 12/15/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/732,854	<b>Applicant(s)</b> HUGL ET AL.	
	<b>Examiner</b> Richard Chan	<b>Art Unit</b> 2618	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 11 December 2003.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-14, 16-20 and 22-36 is/are rejected.
- 7) ☒ Claim(s) 7, 15, 20 and 21 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/11/03</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Claim Objections***

1. Claims 30 and 31 are objected to because of the following informalities: Claims depend from themselves. It will be interpreted by the examiner that claim 30 is dependent from claim 30 and claim 31 is dependent from claim 30. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1-3, and 22-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Whinnett (US 6,317,411).

With respect to claim 1, Whinnett discloses in Fig.1 the method for determining transmit diversity for a transmitter having at least two transmit diversity branches 36 and 34, (Col.2 lines 10-51) the method comprising the step of: determining at least one transmit diversity branch for use based on estimated channel properties by channel

Art Unit: 2618

estimator 50 of transmit diversity branches. (Col.2 lines 42-49) Fig.2

With respect to claim 2, Whinnett discloses the method as defined in claim 1, wherein the step of determining comprises determining the at least one transmit diversity branch for use using a transmit diversity performance indicator R1 and R2 defined for a transmit diversity branch set, the transmit diversity performance indicator being dependent on at least estimated channel properties by channel estimator 50 of transmit diversity branches belonging to the transmit diversity branch set. (Col.2 lines 42-49) Fig.2

With respect to claim 3, Whinnett discloses the method as defined in claim 2, wherein the step of determining comprises using the transmit diversity performance indicator taking into account one or more of the following: small-scale fading statistics, and specific channel coding by space coder 60. (Col.2 line 64- Col.3 line 4)

With respect to claim 22, Whinnett discloses the method as defined in claim 1, further comprising: allocating transmission power evenly to physical transmit diversity branches or virtual transmit diversity branches selected for use. (Col.1 lines 17-26)

With respect to claim 23, Whinnett discloses the method as defined in claim 1, further comprising: transmitting information using transmit diversity branches selected for use. (Col.2 lines 10-21)

With respect to claim 24, Whinnett discloses the method as defined in claim 1, further comprising: estimating channel properties using channel coefficients at a transmitter. (Col.2 lines 42-49)

With respect to claim 25, Whinnett discloses the method as defined in claim 1, further comprising: estimating channel properties using channel coefficients at a receiver. (Col.2 lines 42-49)

With respect to claim 26, Whinnett discloses the method as defined in claim 1, wherein the step of determining comprises determining the at least one transmit diversity branch for use for a receiver independently of other receivers.

With respect to claim 27, Whinnett discloses the method as defined in claim 1, wherein the step of determining comprises determining the at least one transmit diversity branch for a radio link independently of other radio links employed by a transmitter. (Col.2 lines 10-18)

With respect to claim 28, Whinnett discloses the method as defined in claim 1, wherein the step of determining comprises determining the at least one transmit diversity branch for use for a transmitter, for use with a receiver. (Col.2 lines 10-18)

With respect to claim 29, Whinnett discloses the network element Fig.2 for use in transmit diversity, the network element comprising: establishing means for establishing estimated channel properties, channel estimator 50 of at least two transmit diversity branches Fig.2 transmission branch 34 and 36, and determining means, Fig.2 orthogonal transmit diversity decider 42 for determining transmit diversity branches for use based on the estimated channel properties. (Col. 2 lines 42-49)

With respect to claim 30, Whinnett discloses the network element 42 as defined in claim 30, the network element further comprising said at least two transmit diversity branches and transmitting means for transmitting information over a radio interface using selected transmit diversity branches. (Col.2 lines 61- Col.3 line 4)

With respect to claim 31, Whinnett discloses the network element as defined in claim 31, said network element comprising a base station of a cellular communications system. Please see abstract

With respect to claim 32, Whinnett discloses the network element as defined in claim 30, said network element comprising a base station controller of a cellular communications system.

With respect to claim 33, Whinnett discloses the network element as defined in claim 31, said network element comprising an access point of a wireless local area network. Please See Abstract.

With respect to claim 34, Whinnett discloses the radio transmitter having at least two transmit diversity branches (Col.2 lines 61-34), the radio transmitter comprising: establishing means for establishing estimated channel, channel estimator 50 (Col.2 lines 42-49) properties of at least two transmit diversity branches, and determining means for determining transmit diversity branches for use based on the estimated channel properties.

With respect to claim 35, Whinnett discloses the radio transmitter as defined in claim 35, the radio transmitter comprising a mobile station for a cellular telecommunications network. (Abstract)

With respect to claim 36, Whinnett discloses the radio transmitter as defined in claim 35, the radio transmitter comprising user equipment of a wireless local area network. (Abstract)

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Whinnett (US 6,317,411) in view of Veeravalli (US 6,097,956).

With respect to claim 4, Whinnett discloses the method as defined in claim 1, however Whinnett does not specifically disclose wherein the step of determining the at least one transmit diversity branch for use comprises taking into account a required outage probability.

The Veeravalli reference however discloses in Claim 2, wherein the probability of outage determines the coverage provided by the transceiver.

It would have been obvious to one of ordinary skill in the art to implement taking into account the use an outage probability statistic as disclosed by Veeravalli in order to determine which transmitter branch of the Whinnett diversity system should be used.

6. Claims 5, 6, 8, 10, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whinnett (US 6,317,411) in view of Lindell (US 5,524,275).

With respect to claim 5, Whinnett discloses the method as defined in claim 1, however Whinnett does not specifically disclose wherein the step of determining



comprises determining the at least one transmit diversity branch for use based on said estimated channel properties comprising expected powers of transmit diversity branches.

The Lindell reference however discloses an apparatus, which uses the expected power level  $P_{exp}$  for setting the threshold allowing the transmitter to estimate the threshold level. (Col.5 lines 35-43)

It would have been obvious to one of ordinary skill in the art to implement the use of expected power level value as disclosed by Lindell with the transmitted diversity system of Whinnet in order to determine threshold values that need to met by the diversity branches.

With respect to claim 6, Whinnet and Lindell combined discloses the method as defined in claim 5, Lindell continues to disclose wherein the step of determining comprises evaluating a transmit diversity performance indicator using said expected powers. (Col.5 lines 35-42)

With respect to claim 8, Whinnet and Lindell combined disclose the method as defined in claim 6, Whinnet further discloses the method comprising the steps of: evaluating said transmit diversity performance indicator for various transmit diversity branch sets and selecting for use the transmit diversity branch set having an optimum transmit diversity performance indicator value. (Col.4 lines 11-20)

With respect to claim 10, Whinnett and Lindell combined discloses the method as defined in claim 6, Lindell continues to disclose wherein the step of determining comprises evaluating the transmit diversity performance indicator defining a branch power threshold for adding a further transmit diversity branch to a transmit diversity branch set for use, the branch power threshold  $P_{max}$  being dependent on the expected powers of the transmit diversity branches already selected to the transmit diversity branch set for use. (Col.3 lines 59 to Col.4 line 6)

With respect to claim 11, Whinnett and Lindell combined discloses the method as defined in claim 10, Lindell continues to disclose wherein the step of determining comprises selecting the transmit diversity branches to the transmit diversity branch set for use in an order in accordance with estimated expected powers. (Col.5 lines 35-42)

7. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over over Whinnett (US 6,317,411) in view of Lindell (US 5,524,275) in further view of Conklin (US 6,415,283).

With respect to claim 9, Whinnett and Lindell combined discloses the method as defined in claim 8, however neither reference discloses wherein the step of evaluating comprises evaluating said transmit diversity performance indicator for transmit diversity branch sets using a tree structure, a transmit diversity branch set relating to a child

node having less transmit diversity branches than a transmit diversity branch set relating to a parent node of the child node.

The Conklin reference in Fig.4 however discloses child nodes using a tree structure 220 in Fig.4 to evaluate using weighted summing in order to choose the correct child node. (Col.5 lines 63- Col.6 lines 15)

It would have been obvious to one of ordinary skill in the art to implement the tree structure as disclosed by Conklin to the Diversity transmitter system of Whinnet and Lindell in order to calculate the appropriate transmission branch to be sending out a transmission signal.

8. Claims 12, 13, 14, 16, 18, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Whinnet (US 6,317,411) in view of Mitra (US 5,956,649).

With respect to claim 12, Whinnet discloses the method as defined in claim 1, however does not specifically disclose wherein the step of determining comprises determining the at least one transmit diversity branch for use based on the estimated channel properties comprising second order statistics of channel coefficients of transmit diversity branches.

The Mitra reference claim 12 discloses wherein a coefficient times a second or higher order statistic of the interference signal will determine a signal path gain between the communications device and base unit.

It would have been obvious to one of ordinary skill in the art to implement second order channel coefficient as disclosed by Mitra in order to calculate the channel the optimal transmit diversity branch to the diversity transmitter system of Whinnett.

With respect to claim 13, Whinnet and Mitra combined discloses the method as defined in claim 12, Mitra continues to disclose wherein the step of determining comprises evaluating a transmit diversity performance indicator using said second order statistics. Claim 12 of Mitra.

With respect to claim 14, Whinnett and Mitra combined disclose the method as defined in claim 12, Mitra continues to disclose wherein the step of determining comprises using the second order statistics comprising at least one correlation matrix calculated using estimated channel coefficients. (Col.8 lines 47-62)

With respect to claim 16, Whinnett and Mitra combined disclose the method as defined in claim 13, Whinnet further discloses the method comprising: evaluating said transmit diversity performance indicator for various transmit diversity branch sets and selecting for use the transmit diversity branch set having an optimum transmit diversity performance indicator value. (Col.4 lines 11-20)

With respect to claim 18, Whinnett and Mitra combined disclose the method as defined in claim 12, Mitra further discloses the method comprising: constructing virtual

transmit branches RF as linear combinations of physical transmit diversity branches, and wherein the estimated channel properties comprise expected powers of said virtual transmit branches. (Col.8 lines 59-63)

With respect to claim 19, Whinnett and Mitra combined disclose the method as defined in claim 18, wherein the step of constructing comprises constructing the virtual transmit branches as Eigenvectors "Perron-Frobenius" of a channel correlation matrix derived from estimated channel coefficients and expected powers of the virtual transmit branches are determined as Eigenvalues of respective Eigenvectors. (Col.10 lines 44-62)

9. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over of Whinnet (US 6,317,411) in view of Mitra (US 5,956,649) and further in view of Conklin (US 6,415,283).

With respect to claim 17, Whinnett combined disclose the method as defined in claim 16, however neither reference specifically discloses wherein the step of evaluating comprises evaluating said transmit diversity performance indicator for transmit diversity branch sets using a tree structure, a transmit diversity branch set relating to a child node having less transmit diversity branches than a transmit diversity branch set relating to a parent node of the child node.

The Conklin reference in Fig.4 however discloses child nodes using a tree structure 220 in Fig.4 to evaluate using weighted summing in order to choose the correct child node. (Col.5 lines 63- Col.6 lines 15)

It would have been obvious to one of ordinary skill in the art to implement the tree structure as disclosed by Conklin to the Diversity transmitter system of Whinnet and Lindell in order to calculate the appropriate transmission branch to be sending out a transmission signal.

#### ***Allowable Subject Matter***

10. Claims 7, 15, 20, and 21 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

With respect to claim 7, Whinnett and Lindell combined disclose the method as defined in claim 6, however the prior art does not specifically disclose wherein the step of determining comprises calculating the transmit diversity performance indicator using the following formula:  $12 k = F 0 m = 1 k m k$ , where  $F_{sub.0}$  denotes the required outage probability,  $\lambda_{sub.m}$  denotes the expected power of an m-th transmit diversity branch in a transmit diversity branch set  $\Theta$ , and  $\Theta$  is the number of transmit diversity branch indexes in the transmit diversity branch set  $\Theta$ .

With respect to claim 15, Whinnet and Mitra combined discloses the method as defined in claim 14, however the prior art does not disclose wherein the step of determining comprises calculating the transmit diversity performance indicator using the following formula:  $13 = F 0 m = 1 u m$ , where  $F_{.sub.0}$  denotes the required outage probability,  $u_{.sub.m}$  denotes an m-th Eigenvalue of a correlation matrix relating to a transmit diversity branch set  $.THETA.$ , and  $.THETA.$  is the number of transmit diversity branch indeces in the transmit diversity branch set  $.THETA.$

With respect to claim 20, Whinnett and Mitra combined disclose the method as defined in claim 18, however the prior art does not specifically disclose wherein the step of determining comprises determining the at least one transmit diversity branch using a transmit diversity performance indicator defining a branch power threshold for adding a further virtual transmit branch set for use, the branch power threshold being dependent on the expected powers of the virtual transmit branches already selected to the virtual transmit branch set for use. The prior art discloses a power threshold leveling order to designate the appropriate transmission branch, however not based on expected powers.

Claim 21 is dependent on objected claim 20.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The Tapia reference (US 5,555,285) discloses a Multi-variate system having an intelligent telecommunications interface.

The Guidoux reference (US 4,621,173) discloses a method of reducing the convergence time of an echo canceller and apparatus.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard Chan whose telephone number is (571) 272-0570. The examiner can normally be reached on Mon - Fri (9AM - 5PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edan Orgad can be reached on (571) 272-7884. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Richard Chan



Application/Control Number: 10/732,854

Page 16

Art Unit: 2618

Art Division 2618

11/29/06

A handwritten signature in black ink, appearing to be "R. Am", located below the date 11/29/06.

**EDAN ORGAD**  
**PATENT EXAMINER/TELECOMM.**

*Edan Orgad* 12/3/08